


# BOOK MATCH



Explore The  
**Widest Range With**



**600 x 1200mm**




## **SURFACE**

---

Our collection has a wide variety of styles. Variants let a customer identify their own distinctive style and taste through they want to illuminate their home decor or bring a dark marvelous touch to it. Our products have top-notch quality as special attention is given to processing and finishing through a constant upgrade in technology and innovations.

We aim to bring forward our products to compete at a global standard of lifestyle and home decor. Our perpetual determination and efforts focus on providing the world with something new and creative. Our mission is to break through the ceramic industry through our profound artistic collection.



## 600x1200mm

The dimension available is 600x1200 mm. This basic yet perfect size can allow various applications. Extreme attention is given to engineering and finishing. A thorough advancement is made in technology management along with a strong value of sustainability.

Our team includes great professionals that understand the organization's values and principles. Our company also aims to provide certain training and guidance to them to enhance their ability and improve their work.

## APPLICATION

Our products make your home look extra spacious and grandeur. Our aim is to bring a touch of extravagance and beauty that marvels the audience and onlookers. We have several applications for indoor & outdoor spaces. Our exquisite styles are widely used to adorn the walls & embellish the floor of your household. they give a modern contemporary outlook and a serene vibe. Uplifting your lifestyle, we opt to do the impossible. We are here to amaze you By transforming the ordinary into the extraordinary. Our surfaces can adorn various residential and commercial locations beautifully.



Commercial  
Building



Hotel,  
Restoaurant



School,  
College



Hall &  
corridor



Mall & Super  
Market



Religious  
Place



Residential



Hospital



Airport



Gymnasium



Industry



Spa



## BOOK MATCH CARVING

Book Match Carving Collection is to instill a marvelous sensation of magnificence in your space and adorn the home decor that makes you feel enthusiastic and gives an aura of the classic. Experience the flawless art of ceramic which showcases perseverance – continuing patterns even with distinctive tiles, as well as artistry – carvings of great craftsmanship and creativity. It has been developed by state-of-the-art technology that enhances its quality.

The collection translates the timeless grace as it shall bring a contemporary vibe throughout many years and hence, stands ideal for the most ambitious design projects. The collection put forward an enthusiastic feeling of joy as well as creates a serene surrounding. It lets you indulge in the essence of decor and the feelings that are developed through artistic surroundings.

## Interactive Guide



### Please Click

To view specific tile information in detail, please click on the corresponding tile picture.



### Click on the logo

To return to the previous index page, you shall click on the logo.

- |   |                   |    |                   |
|---|-------------------|----|-------------------|
| 1 | Alfina Gold       | 9  | Italian White     |
| 2 | Bianco Lasa Black | 10 | Nero Voltage      |
| 3 | Bianco Lasa White | 11 | Onyx Buff         |
| 4 | Bianco Viola      | 12 | Onyx Brown        |
| 5 | Brescia Beige     | 13 | Onyx Amoria       |
| 6 | Calacatta Glacire | 14 | Statuario Volakas |
| 7 | Calacatta Gray    | 15 | White Antilia     |
| 8 | Calacatta Antique |    |                   |



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro





Anti-bacterial



Easy Clean




Stain Resistant



## ALFINA GOLD

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



## BIANCO LASA BLACK

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



**BIANCO LASA BLACK**

**BIANCO LASA WHITE**



**BIANCO VIOLA**



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro





Anti-bacterial



Easy Clean




Stain Resistant



## BIANCO LASA WHITE

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



## BIANCO VIOLA

Surface : Carving Book Match | Size : 600x1200mm | Random : 1





**BIANCO LASA WHITE**



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro




Anti-bacterial



Easy Clean



Stain Resistant



## BRESCIA BEIGE

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



## CALACATTA GLACIRE

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



SUCCO MELAGRANA 4

COOKIE MIELE BIO 3

**BRESCIA BEIGE**



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro




Anti-bacterial



Easy Clean




Stain Resistant



## CALACATTA GRAY

Surface : Carving Book Match | Size : 600x1200mm | Random : 1




## CALCATTA ANTIQUE

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



**CALACATTA GRAY**

**NERO VOLTAGE**



**ITALIAN WHITE**



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro








Anti-bacterial



Easy Clean







Stain Resistant



## ITALIAN WHITE

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



## NERO VOLTAGE


Surface : Carving Book Match | Size : 600x1200mm | Random : 1



**NERO VOLTAGE**



**ONYX BROWN**



**ONYX BUFF**



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro




Anti-bacterial



Easy Clean





Stain Resistant



## ONYX BUFF

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



## ONYX BROWN

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



**ONYX BROWN**



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro




Anti-bacterial



Easy Clean





Stain Resistant



## ONYX AMORIA

Surface : Carving Book Match | Size : 600x1200mm | Random : 1





## STATUARIO VOLAKAS

Surface : Carving Book Match | Size : 600x1200mm | Random : 1



**STATUARIO VOLAKAS**

- 9 MM Thickness
- Chemical Resistant
- Impact Resistant
- Weather Pro
- Anti-bacterial
- Easy Clean
- Stain Resistant



# WHITE ANTILIA

Surface : Carving Book Match | Size : 600x1200mm | Random : 1

# Technical Specification

## Dimensions & surface Quality

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in thickness	± 5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
Deviation in Straightness of sides	± 0.5%	± 0.4%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Rectangularity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Surface Flatness	± 0.5%	± 0.2%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
Surface Quality & Color (%)	Minimum 95% Declared by manufacture	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Glossiness with Nano		-	Above 90	ISO 2813 (Glossy meter)

## Physical charactersitics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Scratch Hardness of surface Moh's scale	Min. 3	Min. 3	Min. 3	EN-101/IS:13630 (P-13)
Water absorption	≤3%	Min. 3	≤3%	ISO 10545:3/IS: 13630 (P-2)
Moisture Expansion	Nil	-	Nil	ISO 10545:10
Surface Abrasion	Required	Required	PEI 2 – 4	ISO 10545:7/IS:13630 (P-12)

## Mechanical charactersitics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Breaking strength	1300 N	Min 1300 N	≥ 1800 N	ISO 10545:4/IS: 13630 (P-6)
Modulus of rupture	>35 N/mm2	Average 35, Individual minimum 32	≥ 35 N/mm2	ISO 10545:4/IS: 13630 (P-6)

## Safety charactersitics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Density	2.20 gm/cc	Min 2.20 gm/cc	2.20 gm/cc	DIN 51082/IS: 13630 (P-2)
Skid resistance (Friction coefficient )	≥0.4	-	≥ 0.4	ISO 10545:17

## Thermo photo characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
Co efficient of thermal expansion	9×10-6K-1Max	6×10-6K-1Max	<6×10-6K-1 Max	ISO 10545:8/IS:13630 (P-4)
Frost resistance	Resistant	Required	Need to comply with the standard	ISO 10545:12/IS: 13630 (P-10)
Color Resistance to UV light	Resistant	-	Resistant	DIN 51094

## Chemical characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Stain Resistance	Min class-3	Required	Min conform to class-3*	ISO 10545:14
Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

## DOMESTIC PACKING DETAILS

Dimensions (mm)	Thickness (mm)	Pieces Per Box	Coverage Area (sqm.) (sqft.)		Box Weight (kg)
600x1200	9	02	1.44	15.50	29 (Approx)

## NOTE :

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- For better laying. Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

**Thank You**