MATT - 2

Explore The Widest Range With

600 x 1200mm



SURFACE

Our collection has a wide variety of styles. Variants let a customer identify their own distinctive style and taste through they want to illuminate their home decor or bring a dark marvelous touch to it. Our products have top-notch quality as special attention is given to processing and finishing through a constant upgrade in technology and innovations.

We aim to bring forward our products to compete at a global standard of lifestyle and home decor. Our perpetual determination and efforts focus on providing the world with something new and creative. Our mission is to break through the ceramic industry through our profound artistic collection.



600x1200mm

The dimension available is 600x1200 mm. This basic yet perfect size can allow various applications. Extreme attention is given to engineering and finishing. A thorough advancement is made in technology management along with a strong value of sustainability.

Our team includes great professionals that understand the organization's values and principles. Our company also aims to provide certain training and guidance to them to enhance their ability and improve their work.

APPLICATION

Our products make your home look extra spacious and grandeur. Our aim is to bring a touch of extravagance and beauty that marvels the audience and onlookers. We have several applications for indoor & outdoor spaces. Our exquisite styles are widely used to adorn the walls & embellish the floor of your household, they give a modern contemporary outlook and a serene vibe. Uplifting your lifestyle, we opt to do the impossible. We are here to amaze you By transforming the ordinary into the extraordinary. Our surfaces can adorn various residential and commercial locations beautifully.



Commercial Building



Residential



Hotel, Restoaurant



Hospital



School, College



Airport



Hall & corridor



Gymnasium




Mall & Super Market



Industry



Spa



MATT - 2

The Matt Collection exemplifies the beauty of ceramic design. Our tiles bring out the best ambiance in any space. Magnificent tones and a carved matt finish deliver an incomparable sensation of elegance and exclusive refinement. Passero stands for luxury that is affordable with the melange of ceramic artisanship. Embrace your mood & corners across your space with the uplifting shades. Delve into the eye-pleasing textures that decorate your dream space.

Tiles are no longer merely surface covering options; instead, they are now decorative accents that may change the atmosphere of a space. In light of this change, the Passero team works diligently to develop durable and fashionable vitrified tiles that can withstand the test of time and also make fashion statements for the proud owner.

Interactive Guide



Please Click

Ontario

To view specific tile information in detail, please click on the corresponding tile picture.



20 Texas Beige

Click on the logo

To return to the previous index page, you shall click on the logo.

1	Berlin Beige	11	Seltos Beige
2	Berlin Bianco	12	Seltos Brown
3	Berlin Choco	13	Seltos Grey
4	Berlin Grey	14	Seltos Gris
5	Berlin Gris	15	Seltos Zinc
6	Canvas Beige	16	Sparkal Beige
7	Canvas Grey	17	Sparkal Grey
8	Odyssey	18	Spenzer
9	Ola Grey	19	Styria













ial







BERLIN BEIGE

Surface: Matt | Size: 600x1200mm | Random: 6

BERLIN BIANCO























BERLIN GREY

Surface : Matt | Size : 600x1200mm | Random : 6

BERLIN CHOCO
















Stain Resistar







CANVAS BEIGE

Surface: Matt | Size: 600x1200mm | Random: 4

BERLIN GRIS












* © eather Pro



Eas







CANVAS GREY

Surface: Matt | Size: 600x1200mm | Random: 4

ODYSSEY
















Stain Resistan





OLA GREY

Surface: Matt | Size: 600x1200mm | Random: 4

ONTARIO















Anti-











SELTOS BEIGE

Surface: Matt | Size: 600x1200mm | Random: 4

SELTOS BROWN

















Stair Resista





SELTOS GREY

Surface: Matt | Size: 600x1200mm | Random: 4

SELTOS GRIS
















Stain Resistar





SELTOS ZINC

Surface: Matt | Size: 600x1200mm | Random: 4

SPARKAL BEIGE










eather





Stain Resistant





SPARKAL GREY

Surface: Matt | Size: 600x1200mm | Random: 4

SPENZER














Ea

Stain Resistant





STYRIA

Surface: Matt | Size: 600x1200mm | Random: 4

TEXAS BEIGE



Technical Specification



Dimensions & surface Quality

Characteristic	Group Bla – ISO 13006/EN–176	Group Bia IS :15622:2017	Value	Test According to
Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in thickness	± 5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
Deviation in Staightness of sides	± 0.5%	± 0.4%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Rectangualrity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Surface Flatness	± 0.5%	± 0.2%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
Surface Quality & Color (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Glossiness with Nano	Declared by manufacture	-	Above 90	ISO 2813 (Glossy meter)



Characteristic	Group Bla – ISO 13006/EN–176	Group Bia IS :15622:2017	Value	Test According to
Scratch Hardness of surface Moh's scale	Min. 3	Min. 3	Min. 3	EN-101/IS:13630 (P-13)
Water absorption	≤3%	Min. 3	≤3%	ISO 10545:3/IS: 13630 (P-2)
Moisture Expansion	Nil	_	Nil	ISO 10545:10
Surface Abrassion	Required	Required	PEI 2 - 4	ISO 10545:7/IS:13630 (P-12)



Characteristic	Group Bla – ISO 13006/EN–176	Group Bia IS :15622:2017	Value	Test According to	
Breaking strength	1300 N	Min 1300 N	≥ 1800 N	ISO 10545:4/IS: 13630 (P-6)	
Modulus of rupture	>35 N/mm2	Average 35, Individual minimum 32	≥ 35 N/mm2	ISO 10545:4/IS: 13630 (P-6)	



Characteristic	Group Bla – ISO 13006/EN–176	Group Bia IS :15622:2017	Value	Test According to
Density Skid resistance (Friction coefficient)	2.20 gm/cc ≥0.4	Min 2.20 gm/cc -	2.20 gm/cc ≥ 0.4	DIN 51082/IS: 13630 (P-2)



Thermo photo characteristics

Characteristic	Group Bla – ISO 13006/EN–176	Group Bia IS :15622:2017	Value	Test According to	
Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)	
Co efficient of thermal expansion	9×10-6K-1Max	6×10-6K-1Max	<6×10-6K-1 Max	ISO 10545:8/IS:13630 (P-4)	
Frost resistance	Resistant	Required	Need to comply with the standard	ISO 10545:12/IS: 13630 (P-10)	
Color Resistance to UV light	Resistant	_	Resistant	DIN 51094	



Chemical characteristics

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Stain Resistance	Min class-3	Required	Min conform to class-3*	ISO 10545:14
Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

DOMESTIC PACKING DETAILS

Dimensions	Thickness	Pieces	Coverd	ige Area	Box Weight
(mm)	(mm)	Per Box	(sqm.)	(sqft.)	(kg)
600x1200	9	02	1.44	15.50	

NOTE:

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- For better laying. Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Thank You